
[illegible]


TEKENING NO. DRAWTAGS

BRENTON PLASTILIKE ROAD
LOCAL COUNCIL
GOEDGEKEUR/APPROVED


unless otherwise stated
asterisk (*) on dollar sign




WEST ELEVATION




EAST ELEVATION




SOUTH ELEVATION



NORTH



CROSS SECTION




CORBELLED
BRICKWORK

FL

TION

STRUCTION NOTE

CORBELLED
BRICKWORK




ION

NOTE


LED
WORK

c 8D min (a) 1/60
to sewer connection

ATION



NORTH ELEVATION



SECTION A-A



- N.B. all screenwalls to be plastered and painted both sides, 1,800 HIGH 220 THICK
1. r.e.'s 1,500 from sewer connections of all private drains.
 2. r.e.'s at all changes in sewer directions.
 3. temporary chemical toilets to be provided on construction site as shown.
 4. all private house drains will be 100Ø pvc s.p. min fall 1/60, max 1/8 to sewer connection
 5. private drains and r.e.'s to be outside sewer servitudes
 6. dwellings not to be occupied until sewer mains are taken over by town council

NOTES ITEMS
TAKE P

ROOF CONST

PITCH:

ROOF COVER:

FURLING:

UNDERLAY:

TRUSSES:

RAFTERS:

TIE BEAMS:

CENTRES:

WALL PLATES:

FLUERS:

1. 1/4 inch 95 on p

6:3:1 conc. su

Remold and wet

Under surface

All other to 1

min. 2,100 new

DRAINAGE

1. No drainage

2. Bands and

3. Drains und

4. Waste pipe

5. Backwater

6. Gutters at

GENERAL N

1. All window

is opened

2. Road floor

3. All joints

and number

4. Windows p

5. Apply damp

6. Walls belc

7. 2AB' e to N

8. Decline 01

9. All hardsc

NOTES 6 AND

WINDOW A

TYPE

See

DOOR SCH

SIZE/HAND

B33RH, ENTR.

B33RH, stabl

B33LH

B33RH

762RH

542 Public Place

